Journal of Biochemical and Biophysical Methods, 14 (1987) 363–365
Elsevier

Author Index

Alvarez-Ossorio, M.C., see Muriana, F.J.G., 19
Arnaud, P., see Miribel, L., 291

Baldo, B.A., see Tovey, E.R., 1
Baumstark, J.S., A simple one-column procedure for the separation of swine and human serum transferrins, 59
Bertling, W., Hunger-Bertling, K. and Cline, M.J., Intranuclear uptake and persistence of biologically active DNA after electroporation of mammalian cells, 223
Borovanský, J., see Vedralová, E., 343
Bourdeaux, M., see Rimet, O., 335
Brautigan, D.L., see Shriner, C.L., 273
Briand, C., see Rimet, O., 335

Cabré, O., see Francino, O., 177
Cannistraro, V.J., Hwang, P. and Kennell, D.E., Isolating and sequencing the infrequent 3′-ends of a specific mRNA, 211
Carpentieri, U., Myers, J., Daeschner III, C.W. and Haggard, M.E., Observations on the use of a cation exchange resin for the preparation of metal-depleted media for lymphocyte culture, 93
Chauvet, M., see Rimet, O., 335
Clad, A., see Göbel, U., 245
Cline, M.J., see Bertling, W., 223
Crezee, J., see Metselaar, J.W., 233
Cserháti, T. and Szöggi, M., A low-cost microcomputer and interface for an electron spin resonance spectrometer (*Short Note*), 109
Curtain, C.C., Holt, P.G. and Looney, F.D., ESR spectroscopy in the study of antigen processing – uptake of spin-labelled antigens by macrophages, 149

Daeschner III, C.W., see Carpentieri, U., 93
Desel, H., see Uhl, R., 127
Desselberger, U., see Taylor, P., 71
De Zuanni, M., see Wenger, P., 29
Duchoň, J., see Vedralová, E., 343

Engel, D., see Samanta, H.K., 261
Estelrich, J. and Pouplana, R., Measurement of a glycoprotein with blood group activity A by light scattering, 119

Ford, S.A., see Tovey, E.R., 1
Francino, O., Pinol, J. and Cabré, O., Precipitation of DNA by cetyltrimethylammonium bromide to avoid coprecipitation of salts. Application of the method of recovery of *Drosophila* DNA following adsorption to hydroxyapatite (*Short Note*), 177
Fujii, M., see Hayashi, H., 201

Gelfi, C., Righetti, P.G., Rovida, E. and Samaja, M., Purification of human hemoglobin valence intermediates by preparative immobilized pH gradients, 139
Gelfi, C., see Wenger, P., 29
Göbel, U., Maas, R. and Clad, A., Quantitative electroelution of oligonucleotides and large DNA fragments from gels and purification by electrodialysis, 245
Goovaerts, H.G., see Metselaar, J.W., 233

Haggard, M.E., see Carpentieri, U., 93
Haupt, R., see Lindenhayn, K., 45
Hayashi, H., Takahashi, N., Fujii, M., Yoshikumi, C., Kawai, Y. and Iwaguchi, T., Determination of an immunosuppressive substance in serum by latex particle electrophoresis, 201
Heilmann, H.-H., see Lindenhayn, K., 45
Heirwegh, K.P.M., Meuwissen, J.A.T.P. and Lontie, R., Selective absorption and scattering of light by solutions of macromolecules and by particulate suspensions (*Minireview*), 303
Holmquist, L., Purification of human plasma lecithin:cholesterol acyltransferase by covalent chromatography, 323
Holt, P.G., see Curtain, C.C., 149
Hunger-Bertling, K., see Bertling, W., 223
Hwang, P., see Cannistraro, V.J., 211

Iwaguchi, T., see Hayashi, H., 201

Jamaluddin, M.P. and Krishnan, L.K., A spectrophotometric method for following initial rate kinetics of blood platelet aggregation, 191
Javet, P., see Wenger, P., 29
Johanson, K.J., see Sandström, B.E.R., 183

0165-022X/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Kawai, Y., see Hayashi, H., 201
Kennell, D.E., see Cannistraro, V.J., 211
Korpela, T., see Mäkelä, M., 85
Krishnan, L.K., see Jamaluddin, M.P., 191

Laakso, S., see Mäkelä, M., 85
Lindenhayn, K., Haupt, R., Heilmann, H.-H. and Wolf, H., Semiquantitative determination of low molecular weight proteinase inhibitors in the presence of high molecular weight inhibitors by a modified radial diffusion assay, 45
Lohmann, W., see Schreiber, J., 101
Lontie, R., see Heirwegh, K.P.M., 303
Looney, F.D., see Curtain, C.C., 149

Maas, R., see Göbel, U., 245
Marsden, H.S., see Taylor, P., 71
Marshall, T., Paviour, S.M. and Williams, K.M., A simplified method for the electrophoretic analysis of hair proteins, 53
Martinez, J.A., Validation of a fast, simple and reliable method to assess protein synthesis in individual tissues by intraperitoneal injection of a flooding dose of [^{3}H]phenylalanine (*Short Note*), 349
Mäkelä, M., Korpela, T. and Laakso, S., Colorimetric determination of β-cyclodextrin: two assay modifications based on molecular complexation of phenolphtalein, 85
Mazière, C., Mazière, J.C., Mora, L. and Polonovski, J., Rapid analysis of cellular lipids without extraction, 267
Mazière, J.C., see Mazière, C., 267
Metselaar, J.W., Goovaerts, H.G. and Crezee, J., Generation of a fast and homogeneous temperature step, 233
Meuwissen, J.A.T.P., see Heirwegh, K.P.M., 303
Miribel, L. and Arnaud, P., Fractionation of plasma proteins using dye–ligand chromatography: elution profiles on immobilized Green TSK-AF, 291
Mora, L., see Mazière, C., 267
Morel, G., see Yarmush, D.M., 279
Mudd, C.P., see Schuette, W.H., 167
Muriana, F.J.G., Sánchez, M.C., Rodulfo, J.D., Alvarez-Ossorio, M.C. and Relimpio, A.M., Optimization of the cell envelope disruption of extremely halophilic bacteria, 19
Myers, J., see Carpentieri, U., 93

Paviour, S.M., see Marshall, T., 53
Perry, L.J., see Taylor, P., 71
Pinol, J., see Francino, O., 177
Polonovski, J., see Mazière, C., 267
Pouplana, R., see Estelrich, J., 119

Relimpio, A.M., see Muriana, F.J.G., 19
Reynolds, C.P., see Ross, S.M., 161
Righetti, P.G., see Gelfi, C., 139
Righetti, P.G., see Wenger, P., 29
Rimet, O., Chauvet, M., Bourdeaux, M. and Briand, C., A novel fluorometric assay for quantitative analysis of dihydrofolate reductase activity in biological samples, 335
Rudulfo, J.D., see Muriana, F.J.G., 19
Ross, S.M. and Reynolds, C.P., Automation of protein assays with a microcomputer interfaced to a spectrophotometer, 161
Rovida, E., see Gelfi, C., 139
Ryba, N., see Uhl, R., 127

Šafařík, I., A modified procedure for the preparation of insoluble chromogenic substrates for the determination of proteolytic activity (*Short Note*), 355
Samaja, M., see Gelfi, C., 139
Samanta, H.K. and Engel, D., Deionization of formamide with Biorad AG501-X(D), 261
Sánchez, M.C., see Muriana, F.J.G., 19
Sandström, B.E.R. and Johanson, K.J., A direct assay for detection of chemically induced changes in the rejoining kinetics of radiation induced DNA strand breaks, 183
Schreiber, J. and Lohmann, W., Charge transfer chromatography used to study the interaction between synthetic phospholipids and nonylphenyl-nonylglycolate, 101
Schuette, W.H. and Mudd, C.P., An iterative method for the deconvolution of microcalorimeter thermograms, 167
Shriner, C.L. and Brautigan, D.L., Metal chelate affinity chromatography of Zn^{2+}-inhibited protein Tyr(P) phosphatases, 273
Szöggi, M., see Cserháti, T., 109

Takahashi, N., see Hayashi, H., 201
Taylor, P., Perry, L.J., Desselberger, U. and Marsden, H.S., Computer assisted size measurement on a digitising tablet of nucleic acid and protein molecules from gels, 71
Tovey, E.R., Ford, S.A. and Baldo, B.A., Protein blotting on nitrocellulose: some important aspects of the resolution of antigens in complex extracts, 1

Uhl, R., Desel, H., Ryba, N. and Wagner, R., A simple and rapid procedure for the isolation

of intact bovine rod outer segments (RO5), 127

Vedralová, E., Borovanský, J. and Duchoň, J., Protein determination in materials containing melanin, 343

Wagner, R., see Uhl, R., 127
Wenger, P., De Zuanni, M., Javet, P., Gelfi, C. and Righetti, P.G., Amphoteric, isoelectric immobiline membranes for preparative isoelectric focusing, 29
Williams, K.M., see Marshall, T., 53
Wolf, H., see Lindenhayn, K., 45

Yarmush, D.M., Morel, G. and Yarmush, M.L., A new technique for mapping epitope specificities of monoclonal antibodies using quasi-elastic light scattering spectroscopy, 279
Yarmush, M.L., see Yarmush, D.M., 279
Yoshikumi, C., see Hayashi, H., 201

Journal of Biochemical and Biophysical Methods, 14 (1987) 367–370
Elsevier

Subject Index

Absorption (selective), Particulate suspensions, Solutions of macromolecules, Light scattering, 303
ADP, Platelet aggregation, Spectrophotometric assay, Initial rate kinetics, Calf, 191
ADP-ribosylation, DNA rejoining kinetics, DNA repair inhibition, DNA unwinding technique, Excision repair, 183
Affinity chromatography, Serum, Transferrin, Chromatography, Proteins, Reactive Blue 2, 59
Affinity chromatography, Dye–ligand chromatography, Plasma proteins fractionation, 291
Amphoteric membrane, Preparative isolectric focusing, Immobilized pH gradient, Multicompartment electrolyzer, 29
Antigen, Spin label, Macrophage, 149
Antigen–antibody reaction, Cell electrophoresis, Latex particle, Immunosuppressive substance, Cancer, 201
Apple II, Microcomputer, Spectrophotometer, Protein assay, Curve fitting, 161

Blocking, Electroblotting, Protein blotting, Electrotransfer, Western blotting, Immunoblotting, Nitrocellulose, PAGE, 1
Blood group A antigen, Glycoprotein determination, Light scattering, 119

Calcium, Iron, Copper, Zinc, Magnesium, Lymphocyte, Resin, 93
Calf, Platelet aggregation, Spectrophotometric assay, Initial rate kinetics, ADP, 191
Calorimeter, Restoration, Deconvolution, Decomposition, Response time, Signal-to-noise ratio, 167
Cancer, Cell electrophoresis, Antigen–antibody reaction, Latex particle, Immunosuppressive substance, 201
S-Carboxymethylation, Hair protein, Electrophoretic analysis, 53
Cell electrophoresis, Antigen–antibody reaction, Latex particle, Immunosuppressive substance, Cancer, 201
Cell envelope, Disruption methods, Halophile bacteria, Halophilic enzymes, 19
Cetyltrimethylammonium bromide, DNA precipitation, Hydroxyapatite, *Drosophila* DNA extraction, 177
Characterization, Photoreceptor, Rod outer segment (ROS), 127
Charge transfer chromatography, Phospholipid–tenzide interaction, 101
Chromatography, Serum, Transferrin, Proteins, Reactive Blue 2, Affinity chromatography, 59
Chromatography, Lipid analysis, Cultured cells, 267
Colorimetry, β-Cyclodextrin assay, Phenolphtalein, Flow-injection analysis, 85
Computer calculation, Digitiser, Mobility, Gel electrophoresis, FORTRAN, 71
Copper, Iron, Zinc, Calcium, Magnesium, Lymphocyte, Resin, 93
Covalent chromatography, Human α-β-LCAT, Purification, 323
Cultured cells, Lipid analysis, Chromatography, 267
Curve fitting, Microcomputer, Apple II, Spectrophotometer, Protein assay, 161
β-Cyclodextrin assay, Colorimetry, Phenolphtalein, Flow-injection analysis, 85

Data acquisition system, ESR, Eurocom 2, 109
Decomposition, Calorimeter, Restoration, Deconvolution, Response time, Signal-to-noise ratio, 167
Deconvolution, Calorimeter, Restoration, Decomposition, Response time, Signal-to-noise ratio, 167
Deionization, Formamide, Hybridization, Mixed bed resin, 261
Digitiser, Computer calculation, Mobility, Gel electrophoresis, FORTRAN, 71
Dihydrofolate reductase activity, Fluorometric assay, Human tissue, 335
Disruption methods, Cell envelope, Halophile bacteria, Halophilic enzymes, 19
DNA precipitation, Cetyltrimethylammonium

0165-022X/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

bromide, Hydroxyapatite, *Drosophila* DNA extraction, 177
DNA purification, Electroelution, Electrodialysis, 245
DNA rejoining kinetics, ADP-ribosylation, DNA repair inhibition, DNA unwinding technique, Excision repair, 183
DNA repair inhibition, ADP-ribosylation, DNA rejoining kinetics, DNA unwinding technique, Excision repair, 183
DNA unwinding technique, ADP-ribosylation, DNA rejoining kinetics, DNA repair inhibition, Excision repair, 183
Drosophila DNA extraction, Cetyltrimethylammonium bromide, DNA precipitation, Hydroxyapatite, 177
Dye–ligand chromatography, Affinity chromatography, Plasma proteins fractionation, 291

Electroblotting, Protein blotting, Electrotransfer, Western blotting, Immunoblotting, Nitrocellulose, PAGE, Blocking, 1
Electrodialysis, Electroelution, DNA purification, 245
Electroelution, Electrodialysis, DNA purification, 245
Electrophoretic analysis, Hair protein, *S*-Carboxymethylation, 53
Electroporation, Gene transfer, Mutation rate, Lymphocytes, 223
Electrotransfer, Electroblotting, Protein blotting, Western blotting, Immunoblotting, Nitrocellulose, PAGE, Blocking, 1
Epitope assay, Quasi-elastic light scattering, Monoclonal antibody, Immune complex, 279
ESR, Data acquisition system, Eurocom 2, 109
Eurocom 2, Data acquisition system, ESR, 109
Excision repair, ADP-ribosylation, DNA rejoining kinetics, DNA repair inhibition, DNA unwinding technique, 183

Flow-injection analysis, β-Cyclodextrin assay, Colorimetry, Phenolphtalein, 85
Fluorometric assay, Dihydrofolate reductase activity, Human tissue, 335
Formamide, Deionization, Hybridization, Mixed bed resin, 261
FORTRAN, Digitiser, Computer calculation, Mobility, Gel electrophoresis, 71

Gel electrophoresis, Digitiser, Computer calculation, Mobility, FORTRAN, 71
Gelatin, Proteolytic activity, Insoluble chromogenic substrate, 355
Gene transfer, Electroporation, Mutation rate, Lymphocytes, 223
Glycoprotein determination, Light scattering, Blood group A antigen, 119

Hair protein, Electrophoretic analysis, *S*-Carboxymethylation, 53
Halophile bacteria, Cell envelope, Disruption methods, Halophilic enzymes, 19
Halophilic enzymes, Cell envelope, Disruption methods, Halophile bacteria, 19
Hemoglobin valence intermediates, Immobilized pH gradients, Isoelectric focusing, Preparative electrophoresis, 139
Human α-β-LCAT, Purification, Covalent chromatography, 323
Human tissue, Fluorometric assay, Dihydrofolate reductase activity, 335
Hybridization (improved), RNA sequencing, In vivo RNA 3′-ends, Ligase, 211
Hybridization, Formamide, Deionization, Mixed bed resin, 261
Hydroxyapatite, Cetyltrimethylammonium bromide, DNA precipitation, Drosophila DNA extraction, 177

Iminodiacetate, Zn^{2+}-affinity, Phosphotyrosine, Phosphatase activity, Selective elution, 273
Immobilized pH gradient, Preparative isolectric focusing, Amphoteric membrane, Multicompartment electrolyzer, 29
Immobilized pH gradients, Isoelectric focusing, Preparative electrophoresis, Hemoglobin valence intermediates, 139
Immune complex, Quasi-elastic light scattering, Monoclonal antibody, Epitope assay, 279
Immunoblotting, Electroblotting, Protein blotting, Electrotransfer, Western blotting, Nitrocellulose, PAGE, Blocking, 1
Immunosuppressive substance, Cell electrophoresis, Antigen–antibody reaction, Latex particle, Cancer, 201
Initial rate kinetics, Platelet aggregation, Spectrophotometric assay, ADP, Calf, 191
Insoluble chromogenic substrate, Proteolytic activity, Gelatin, 355
Iron, Copper, Zinc, Calcium, Magnesium, Lymphocyte, Resin, 93
Isoelectric focusing, Immobilized pH gradients, Preparative electrophoresis, Hemoglobin valence intermediates, 139

Latex particle, Cell electrophoresis, Antigen–antibody reaction, Immunosuppressive substance, Cancer, 201
Ligase, RNA sequencing, In vivo RNA 3′-ends, Improved hybridization, 211
Light scattering, Glycoprotein determination, Blood group A antigen, 119
Light scattering, Particulate suspensions, Solutions of macromolecules, Selective absorption, 303
Lipid analysis, Chromatography, Cultured cells, 267
Lowry, Melanin, Melanosome, Protein determination, 343
Lymphocyte, Iron, Copper, Zinc, Calcium, Magnesium, Resin, 93
Lymphocytes, Electroporation, Gene transfer, Mutation rate, 223

Macrophage, Spin label, Antigen, 149
Magnesium, Iron, Copper, Zinc, Calcium, Lymphocyte, Resin, 93
Melanin, Lowry, Melanosome, protein determination, 343
Melanosome, Lowry, Melanin, Protein determination, 343
Microcomputer, Apple II, Spectrophotometer, Protein assay, Curve fitting, 161
Mixed bed resin, Formamide, Deionization, Hybridization, 261
Mobility, Digitiser, Computer calculation, Gel electrophoresis, FORTRAN, 71
Monoclonal antibody, Quasi-elastic light scattering, Epitope assay, Immune complex, 279
Multi-compartment electrolyzer, Preparative isolectric focusing, immobilized pH gradient, Amphoteric membrane, 29
Muscle force, Temperature step, Rotating field, Papillary muscle, Transmembrane potential, Radio frequency, 233
Mutation rate, Electroporation, Gene transfer, Lymphocytes, 223

Nitrocellulose, Electroblotting, Protein blotting, Electrotransfer, Western blotting, Immunoblotting, PAGE, Blocking, 1

PAGE, Electroblotting, Protein blotting, Electrotransfer, Western blotting, Immunoblotting, Nitrocellulose, Blocking, 1
Papillary muscle, Temperature step, Rotating field, Transmembrane potential, Muscle force, Radio frequency, 233
Particulate suspensions, Solutions of macromolecules, Light scattering, Selective absorption, 85
[^{3}H]Phenylalanine, Protein synthesis, 349
Phosphatase activity, Zn^{2+}-affinity, Iminodiacetate, Phosphotyrosine, Selective elution, 273
Phospholipid–tenzide interaction, Charge transfer chromatography, 101
Phosphotyrosine, Zn^{2+}-affinity, Iminodiacetate, Phosphatase activity, Selective elution, 273
Photoreceptor, Rod outer segment (ROS), Characterization, 127
Plasma proteins fractionation, Dye–ligand chromatography, Affinity chromatography, 291
Platelet aggregation, Spectrophotometric assay, Initial rate kinetics, ADP, Calf, 191
Preparative isolectric focusing, Immobilized pH gradient, Amphoteric membrane, Multi-compartment electrolyzer, 29
Preparative electrophoresis, Immobilized pH gradients, Isoelectric focusing, Hemoglobin valence intermediates, 139
Protein assay, Microcomputer, Apple II, Spectrophotometer, Curve fitting, 161
Protein blotting, Electroblotting, Electrotransfer, Western blotting, Immunoblotting, Nitrocellulose, PAGE, Blocking, 1
Protein determination, Lowry, Melanin, Melanosome, 343
Protein synthesis, [^{3}H]Phenylalanine, 349
Proteinase inhibitor, Radial diffusion assay, 45
Proteins, Serum, Transferrin, Chromatography, Reactive Blue 2, Affinity chromatography, 59
Proteolytic activity, Insoluble chromogenic substrate, Gelatin, 355
Purification, Human α-β-LCAT, Covalent chromatography, 323

Quasi-elastic light scattering, Monoclonal antibody, Epitope assay, Immune complex, 279

Radial diffusion assay, Proteinase inhibitor, 45
Radio frequency, Temperature step, Rotating field, Papillary muscle, Transmembrane potential, Muscle force, 233
Reactive Blue 2, Serum, Transferrin, Chromatography, Proteins, Affinity chromatography, 59
Resin, Iron, Copper, Zinc, Calcium, Magnesium, Lymphocyte, 93
Response time, Calorimeter, Restoration, Deconvolution, Decomposition, Signal-to-noise ratio, 167
Restoration, Calorimeter, Deconvolution, Decomposition, Response time, Signal-to-noise ratio, 167

RNA 3′-ends (in vivo), RNA sequencing, Ligase, Improved hybridization, 211
RNA sequencing, In vivo RNA 3′-ends, Ligase, Improved hybridization, 211
Rod outer segment (ROS), Photoreceptor, Characterization, 127
Rotating field, Temperature step, Papillary muscle, Transmembrane potential, Muscle force, Radio frequency, 233

Selective elution, Zn^{2+}-affinity, Iminodiacetate, Phosphotyrosine, Phosphatase activity, 273
Serum, Transferrin, Chromatography, Proteins, Reactive Blue 2, Affinity chromatography, 59
Signal-to-noise ratio, Calorimeter, Restoration, Deconvolution, Decomposition, Response time, 167
Solutions of macromolecules, Particulate suspensions, Light scattering, Selective absorption, 303
Spectrophotometer, Microcomputer, Apple II, Protein assay, Curve fitting, 161
Spectrophotometric assay, Platelet aggregation, Initial rate kinetics, ADP, Calf, 191
Spin label, Antigen, Macrophage, 149

Temperature step, Rotating field, Papillary muscle, Transmembrane potential, Muscle force, Radio frequency, 233
Transferrin, Serum, Chromatography, Proteins, Reactive Blue 2, Affinity chromatography, 59
Transmembrane potential, Temperature step, Rotating field, Papillary muscle, Muscle force, Radio frequency, 233

Western blotting, Electroblotting, Protein blotting, Electrotransfer, Immunoblotting, Nitrocellulose, PAGE, Blocking, 1

Zinc, Iron, Copper, Calcium, Magnesium, Lymphocyte, Resin, 93
Zn^{2+}-affinity, Iminodiacetate, Phosphotyrosine, Phosphatase activity, Selective elution, 273